INDEX TO VOLUME 7

This index covers the issues for 2003, as follows: January–March (Number 1), pages 1–194; April–June (Number 2), pages 195–298; July–September (Number 3), pages 299–422; October–December (Number 4), pages 496–514.

SUBJECTS

Abdominal compression, interposed, 33–35, 34f
Abdominal pain, medical priority dispatch protocol for, effectiveness of, 89–93, 91f, 92t
  study of
    discussion, 92–93
    future studies in, 93
    limitations of, 93
    methods, 90, 91f
    results, 90–92, 92t
Abdominal sonography, for trauma, prehospital, wireless and satellite transmission of, 375–379, 376f, 377t. *See also* Focused abdominal sonography for trauma (FAST), prehospital, wireless and satellite transmission of
Abstracts
  National Association of EMS Physicians 2003 annual meeting, 160; erratum, 271
  Prehospital Care Research Forum 2003, 492
Accident and emergency department, of Kingstown General Hospital, 479, 479t
Active compression-decompression cardiopulmonary resuscitation (ACD-CPR), 35–36, 35f
Acute Physiology and Chronic Health Evaluation (APACHE) system, long-term air medical services system performance using, 195–198, 197f, 198f. *See also* APACHE-II, long-term air medical services system performance using
Acute pulmonary edema (APE)
  field assessment of, 14–15, 15t
  management of, 15–19, 15t
    inotropic support, 19
    reduction of left ventricular afterload, 17
    reduction of left ventricular preload, 15–17
      combined drug therapies with nitroglycerin, furosemide, and morphine, 16–17
        furosemide in, 16
        morphine in, 16
        nitrates in, 15–16
    ventilatory support, 18–19
  pathogenesis of, 13–14, 14f, 14t
  prehospital therapy for, 13–23, 14f, 14t, 15t, 20t
Adenosine, for paroxysmal supraventricular tachycardia, 2–3, 3t
Adolescent(s)
  as assault victims, 68
  mental health emergencies in, 60–65, 61t–63t. *See also* Mental health emergencies, in children and adolescents
Advanced cardiac life support (ACLS)
  CPR and, pre-defibrillation, for out-of-hospital ventricular fibrillation, considerations in, 410–413
  stroke objectives of
    stroke assessment test, 232–234
    teaching to prehospital providers, 229–234
      study of
        analytical methods, 230
        discussion, 231
        future studies in, 231–232
        limitations of, 231–232
        methods, 230
        population, 230
        results, 230–231
        setting, 230
        study design, 230
Afterload, left ventricular, for acute pulmonary edema, 17
Air medical dispatch
  guidelines for, 265–271, 266t, 267–270
    discussion, 265–267, 266t
  introduction to, 265
Air medical helicopters, accidents by, in United States, 94–98, 94f, 95t–97t, 97f, 98f
  study of
    discussion, 96–97
    methods, 94
    results, 94, 95t–96t, 96, 97f, 97t, 98f
Air Medical Physician Association (AMPA), position statement on medical necessity for air and critical care medical transportation, 400–401
Air medical services system, performance of, long-term, using APACHE-II and mortality benchmarking, 195–198, 197f, 198f. *See also* APACHE-II; Mortality
Air medical transport, in prehospital traumatic cardiopulmonary arrest, literature review, 145

INDEX TO VOLUME 7

This index covers the issues for 2003, as follows: January–March (Number 1), pages 1–194; April–June (Number 2), pages 195–298; July–September (Number 3), pages 299–422; October–December (Number 4), pages 496–514.

SUBJECTS

Abdominal compression, interposed, 33–35, 34f
Abdominal pain, medical priority dispatch protocol for, effectiveness of, 89–93, 91f, 92t
  study of
    discussion, 92–93
    future studies in, 93
    limitations of, 93
    methods, 90, 91f
    results, 90–92, 92t
Abdominal sonography, for trauma, prehospital, wireless and satellite transmission of, 375–379, 376f, 377t. *See also* Focused abdominal sonography for trauma (FAST), prehospital, wireless and satellite transmission of
Abstracts
  National Association of EMS Physicians 2003 annual meeting, 160; erratum, 271
  Prehospital Care Research Forum 2003, 492
Accident and emergency department, of Kingstown General Hospital, 479, 479t
Active compression-decompression cardiopulmonary resuscitation (ACD-CPR), 35–36, 35f
Acute Physiology and Chronic Health Evaluation (APACHE) system, long-term air medical services system performance using, 195–198, 197f, 198f. *See also* APACHE-II, long-term air medical services system performance using
Acute pulmonary edema (APE)
  field assessment of, 14–15, 15t
  management of, 15–19, 15t
    inotropic support, 19
    reduction of left ventricular afterload, 17
    reduction of left ventricular preload, 15–17
      combined drug therapies with nitroglycerin, furosemide, and morphine, 16–17
        furosemide in, 16
        morphine in, 16
        nitrates in, 15–16
    ventilatory support, 18–19
  pathogenesis of, 13–14, 14f, 14t
  prehospital therapy for, 13–23, 14f, 14t, 15t, 20t
Adenosine, for paroxysmal supraventricular tachycardia, 2–3, 3t
Adolescent(s)
  as assault victims, 68
  mental health emergencies in, 60–65, 61t–63t. *See also* Mental health emergencies, in children and adolescents
Advanced cardiac life support (ACLS)
  CPR and, pre-defibrillation, for out-of-hospital ventricular fibrillation, considerations in, 410–413
  stroke objectives of
    stroke assessment test, 232–234
    teaching to prehospital providers, 229–234
      study of
        analytical methods, 230
        discussion, 231
        future studies in, 231–232
        limitations of, 231–232
        methods, 230
        population, 230
        results, 230–231
        setting, 230
        study design, 230
Afterload, left ventricular, for acute pulmonary edema, 17
Air medical dispatch
  guidelines for, 265–271, 266t, 267–270
    discussion, 265–267, 266t
  introduction to, 265
Air medical helicopters, accidents by, in United States, 94–98, 94f, 95t–97t, 97f, 98f
  study of
    discussion, 96–97
    methods, 94
    results, 94, 95t–96t, 96, 97f, 97t, 98f
Air Medical Physician Association (AMPA), position statement on medical necessity for air and critical care medical transportation, 400–401
Air medical services system, performance of, long-term, using APACHE-II and mortality benchmarking, 195–198, 197f, 198f. *See also* APACHE-II; Mortality
Air medical transport, in prehospital traumatic cardiopulmonary arrest, literature review, 145

Air medical transportation, medical necessity for, determination of, 400–401
AMPA position statement on, 401
background of, 400–401
Airway(s), difficult, model of, endotracheal tube introducer in, paramedic use of, 244–246. *See also* Endotracheal tube introducer, paramedic use of, in difficult airway model
Ambulance(s), communication to emergency department, time-motion study of, 204–208, 206t. *See also* Radio communications, ambulance-to-emergency department, time-motion study of
Ambulance diversion
in mid-sized metropolitan area, temporal trends in, 109–113, 111f, 111t, 112t
study of
data analysis, 110
design, 110
discussion, 112
future studies in, 112
limitations of, 112
methods, 110
population, 110
protocol, 110
results, 111–112, 111f, 111t, 112t
setting, 110
reduction of, 99–108, 104f–106f, 104t
study of
discussion, 106–107
future studies in, 107
limitations of, 107
methods, 100–103
Community-General Hospital, 100–101
Crouse Hospital, 101–102
St. Joseph's Hospital Health Center, 102–103
University Hospital-SUNY Upstate Medical, 103
population, 100
results, 103–106, 104f–106f, 104t
setting, 100
Ambulance response, urgent, emergency calls not requiring, 384–387, 388t, 389–391, 389t
identification of, 386
introduction to, 385
Medical Priority Dispatch System in, 385–386
study of
comparison with MPDS triage categories, 387
contentious codes, 387, 389t
discussion, 389–390
equivocal codes, 387, 389t
ethical approval, 386
future research, 390
inclusion criteria, 386
informed consent, 386
interexpert agreement, 387, 389
limitations of, 390
methods, 386
overall majority consensus, 387
proportion of MPDS dispatch codes defined as nonemergency, 387, 387t
results, 387, 388t, 389, 389t
statistical analysis, 386
study design, 386
Ambulance services, of St. Vincent, 480, 480f
Ambulance transport
to emergency department, for patients with painful extremity injuries, time to analgesia for, 445–447, 446t. *See also* Extremity injuries, time to analgesia for
motion sickness during, incidence and treatment of, 474–476, 475f. *See also* Motion sickness, prehospital, incidence and treatment of
by paramedics, determination of medical necessity for, 466–469. *See also* Paramedic(s), ambulance transport by, determination of medical necessity for
reduction of, on-site physicians at mass gatherings and, 322–326, 324t, 325f, 325t. *See also* Physician(s), at mass gatherings, ambulance transport reduction and
Ambulance transports, from county jail, impact of after-hours on-call emergency physicians on, 327–331, 328f, 329f. *See also* Emergency physicians, after-hours on-call, impact on ambulance transports from county jail
AMPA. *See* Air Medical Physician Association (AMPA)
Amputation, field extremity, cardiac arrest and, successful patient outcome after, 149–153. *See also* Cardiac arrest, field extremity amputation and, successful patient outcome after
Analgesia, time to, for painful extremity injuries, for patients transported to emergency department by ambulance, 445–447, 446t. *See also* Extremity injuries, time to analgesia for
Angiotensin-converting enzyme (ACE) inhibitors, for acute pulmonary edema, 17
Anticholinergic agents, for asthma, 44
Anti-inflammatory drugs, nonsteroidal (NSAIDs), oral, for prehospital pain management, 485
APACHE-II, long-term air medical services system performance using, 195–198, 197f, 198f
study of, 196
discussion, 196–197
limitations of, 197–198
results, 196, 197f, 198f
Apathy, opinions related to, 414–416
APE. *See* Acute pulmonary edema (APE)
Apnea monitors, in children, prehospital protocols for, 343

Asthma
assessment of, 42–43
emergency department protocol for, 42
EMS treatment of, 42
management of, prehospital, 42–47, 43t
prehospital intravenous methylprednisolone for, hospital admission rates and, 423–426, 425t
study of
discussion, 425
limitations of, 425–426
methods, 424
results, 424–425, 425t
treatment of, 43–45, 43t
anticholinergic agents, 44
beta-agonists, 43
bilevel positive airway pressure, 45
epinephrine, 43–44
helium and oxygen mixture, 45
leukotriene-modifying agents, 45
magnesium, 44
mechanical ventilation, 44–45
steroids, 44
without demonstrated benefit in EMS, 45
Atrial fibrillation, prehospital management of, 4–5
Automated external defibrillation (AED), CPR and, willingness of high school students to perform, 219–224, 220t–223t
study of
discussion, 221–222
limitations of, 222–223
methods, 220, 220t
results, 220–221, 221t–223t
Automated external defibrillator (AED)
in children, 258–264. *See also* Children, automated external defibrillator use in
training and application rates comparison, for first-responders, 453–457, 454t
study of
discussion, 455–456
limitations of, 456
methods, 454, 454t
results, 454–455
in wet environment, safe use of, 307–311, 308f–310f
study of
discussion, 310–311
limitations of, 311
methods, 308–309, 308f
pool water test, 309, 309f
results, 309–310
salt water test, 309–310, 310f
Automated external defibrillator (AED) program, of first-responder firefighters, attitudes, opinions, and concerns about, survey of, 120–124, 121f
discussion, 122–123
limitations of, 123
methods, 120–122, 121f
results, 122

Benzodiazepine(s), as chemical restraint, 53
Beta-agonists, for asthma, 43
Bilevel positive airway pressure (BiPAP)
for acute pulmonary edema, 18–19
for asthma, 45
Blood flow, regional, after inflation of pneumatic anti-shock garment, 225–228, 226f. *See also* Pneumatic anti-shock garment (PASG), inflation of, regional blood flow after
Bone medullary canal, anatomy and physiology of, 280–281, 281f
Brain Storm, 257
B-type natriuretic peptide (BNP), for acute pulmonary edema, 17

Cardiac arrest
chain of survival—guidelines for, 31, 31t
in children
epidemiology of, 259–260
physiology of, 259
defibrillation for, timing of, 24–26
epidemiology of, in Singapore, 427–433, 429f, 429t, 430f. *See also* Cardiac arrest and resuscitation
epidemiology (CARE) project, in Singapore
field extremity amputation and, successful patient outcome after, 149–153
case report, 149–151
clinical considerations in, 152
field amputation in, 152
prehospital organization and incident command in, 151
role of EMS physicians in, 151–152
treatment of, chest compression cardiopulmonary resuscitation and defibrillation in, inclusion and timing of, 29
Cardiac arrest and resuscitation epidemiology (CARE) project, in Singapore, 427–433, 429f, 429t, 430f
study of
discussion, 431–432
materials, 427–428
methods, 427–428
results, 428–429, 429f, 429t, 430f, 431
Cardiac massage, open-chest, minimally invasive, 37–38
Cardiac rhythms, determination of, accuracy of, in children, 260
Cardiopulmonary arrest, prehospital traumatic, withholding or termination of resuscitation in
air medical transport, literature review, 145
in children, literature review, 145
emergency department thoracotomy, literature review, 143–144, 144t
exceptions to, literature review, 145–146

guidelines for, 141–146, 144t
discussion, 142
position statement, 141–142
initial electrocardiographic rhythm, literature review, 143
literature review, 142–146
prehospital traumatic cardiopulmonary arrest, literature review, 142–143
rapid transport *vs.* field stabilization, literature review, 144–145
resuscitation duration, literature review, 143
Cardiopulmonary resuscitation (CPR)
active compression-decompression, 35–36, 35f
automated external defibrillation and, willingness of high school students to perform, 219–224, 220t–223t
study of
discussion, 221–222
limitations of, 222–223
methods, 220, 220t
results, 220–221, 221t–223t
bystander-initiated, EMS dispatch instructions for, 28, 29
chest compression and defibrillation in, for cardiac arrest, inclusion and timing of, 29
chest compression-only, human studies of, 27
circumferential chest compression, 36–37
current issues in, 24–30, 26t, 27f
defibrillation in, timing of, 24–26
cardiopulmonary resuscitation administered first
animal studies of, 25
human studies of, 25–26, 26t, 27f
external manual, 32–33, 32t
mechanical, 33, 33f
pre-defibrillation, for out-of-hospital ventricular fibrillation, considerations in, 410–413
rates of, of strangers *vs.* known bystanders, study of, 299–302, 300f, 300t, 301f
data analysis, 300
data collection, 300
design, 299
discussion, 301
methods, 299–300
population, 299–300
results, 300–301, 300f, 300t, 301f
setting, 299–300
rescue breathing in, early, 26–27
on residents with do not resuscitate orders, in long-term care facilities, 303–306, 304f, 305t, 306t. *See also* Do not resuscitate (DNR) orders, resuscitation of residents with
Cardiopulmonary resuscitation (CPR) devices, alternative, 31–41, 31t, 32t, 33f–35f, 38t
active compression-decompression CPR, 35–36, 35f
circumferential chest compression, 36–37
external manual CPR, 32–33, 32t
ideal circulatory support device, 38, 38t
interposed abdominal compression, 33–35, 34f
mechanical CPR, 33, 33f
minimally invasive open-chest cardiac massage, 37–38
obtaining FDA approval for, problems with, 39
research issues in, 39
CARE I study, 427–433, 429f, 429t, 430f. *See also* Cardiac arrest and resuscitation epidemiology (CARE) project, in Singapore
CARE project, in Singapore, 427–433, 429f, 429t, 430f. *See also* Cardiac arrest and resuscitation epidemiology (CARE) project, in Singapore
Central lines, in children, prehospital protocols for, 343–345
Cerebrospinal fluid (CSF) shunts, in children, prehospital protocols for, 345–346
Chest compression cardiopulmonary resuscitation, circumferential, 36–37
Chest compression-only cardiopulmonary resuscitation (CCO-CPR), human studies of, 27
Children
automated external defibrillator use in, 258–264
design considerations in, 262–263
energy and waveform safety and efficacy in, 260–262
national guidelines for, 262
cardiac arrest in
epidemiology of, 259–260
physiology of, 259
mental health emergencies in, 60–65, 61t–63t. *See also* Mental health emergencies, in children and adolescents
rhythm determination in, accuracy of, 260
safety restraint use by, EMS transport after motor vehicle crashes and, 448–452, 450t
study of
data analysis, 449–450
data source, 448–449
discussion, 451
EMS transport, 450–451, 450t
limitations of, 451–452
methods, 448–450
missing restraint use data, 450, 450t
population, 450
probabilistic linkage, 449
restraint use, 450
restraint use and EMS transports, 451
results, 450–451, 450t
withholding or termination of resuscitation in, in prehospital traumatic cardiopulmonary arrest, literature review, 145
Children with special health care needs (CSHCN)

prehospital protocol development for, template for, 336–338
methods, 337
use of, 337
prehospital protocols for, 338–351, 343t, 347t
apnea monitors, 343
central lines, 343–345
cerebrospinal fluid shunts, 345–346
colostomy, 350–351
feeding tubes, 346–348, 347t
general patient care, special concepts for, 338–339
internal pacemakers/defibrillators, 348–349
tracheostomy, 339–341
vagus nerve stimulator, 349–350
ventilators, 341–343, 343t
Circulatory support device, ideal, 38, 38t
Circumferential chest compression cardiopulmonary resuscitation, 36–37
Colostomy, in children, prehospital protocols for, 350–351
Community-General Hospital, in ambulance diversion reduction study, 100–101
Congestive heart failure (CHF), acute
field assessment of, 14–15, 15t
prehospital therapy for, 13–23, 14f, 14t, 15t, 20t. *See also* Acute pulmonary edema (APE)
treatment of
classification for, 19–20, 20t
options in, 20–21
Continuous positive airway pressure (CPAP)
for acute pulmonary edema, 18–19
prehospital use of, for presumed acute severe pulmonary edema, 209–213, 210t, 211t
study of
CPAP effect on ventilation and oxygenation, 210t, 211
diagnosis and outcome, 211–212, 211t
discussion, 212
future studies in, 213
initial status at scene, 210–211, 210t, 211t
initial therapy, 210–211, 210t, 211t
limitations of, 213
methods, 209–210
patient risk factor characteristics, 210, 210t
results, 210–212
CPAP. *See* Continuous positive airway pressure (CPAP)
Critical care medical transportation, medical necessity for, determination of, 400–401
AMPA position statement on, 401
background of, 400–401
Critical incident stress debriefing (CISD). *See* Critical incident stress management (CISM)
Critical incident stress management (CISM), 272–279
literature review of
discussion, 275–277
methods, 273
results, 273–275
comparison studies, 275
narrative reviews, 275
randomized controlled trials, 274–275
meta-analyses of, 273–274
uncontrolled studies and case reports, 275
Crouse Hospital, in ambulance diversion reduction study, 101–102
CSHCN. *See* Children with special health care needs (CSHCN)

Defibrillation
and chest compression CPR, for cardiac arrest, inclusion and timing of, 29
timing of, for cardiac arrest, 24–26
Defibrillator(s), internal, in children, prehospital protocols for, 348–349
Delmar's Heart and Lung Sounds CD-ROM for the EMS Provider, review of, 405
Depression, in children and adolescents, 68
Developing world, EMS in, 392–396. *See also* Emergency medical services (EMS), in developing world
Diabetes mellitus, prehospital hypoglycemia and, safety of not transporting treated patients, 458–465, 461t, 462t. *See also* Hypoglycemia, prehospital, safety of not transporting treated patients
Disaster, exposure to, in children and adolescents, 61
Disaster scenes, unsolicited medical personnel volunteering at, 147–148
Dispatch centers, triage of callers to alternative resources by, safety of, 368–374, 369t-371t, 372f, 373t. *See also* Emergency medical services (EMS) dispatch centers, triage of callers to alternative resources by, safety of
Dispatch codes, EMS, low-acuity patients associated with, derivation of, 434–439, 436f, 437t, 438t. *See also* Emergency medical services (EMS) dispatch codes, low-acuity patients associated with, derivation of
Diversion, ambulance, reduction of, 99–108, 104f–106f, 104t. *See also* Ambulance diversion, reduction of
Do not resuscitate (DNR) orders, resuscitation of residents with, in long-term care facilities, 303–306, 304f, 305t, 306t
study of
data collection, 304
design, 303–304
discussion, 305–306
methods, 303–304
population, 303–304
results, 304–305, 304f, 305t, 306t
setting, 303–304
statistical analysis, 304

Domestic violence, education and reporting of, public attitudes about EMS roles in, 312–315, 313t, 314f
study of
demographics, 314, 314f
design, 312
discussion, 314–315
future studies, 315
limitations of, 315
measurements, 313–314
methods, 312–314
population, 312–313
protocol, 313, 313t
results, 314, 314f
sampling error, 313–314
setting, 312–313
Drug(s), for prehospital pain management, 484–485
Drug Reference for EMS Providers, review of, 154–155
Dyspnea, prehospital management of, field and emergency department assessment in, 440–444, 442t, 443t
study of
discussion, 442–444
materials, 440–441
methods, 440–441
results, 441–442, 442t, 443t

Education, domestic violence, public attitudes about EMS roles in, 312–315, 313t, 314f. *See also* Domestic violence, education and reporting of, public attitudes about EMS roles in
Elderly, falls by, in home, EMS screening of, 79–84, 80t–83t. *See also* Fall(s), by the elderly, in home, EMS screening of
Electrocardiographic rhythm, initial, in prehospital traumatic cardiopulmonary arrest, literature review, 143
Emergency air medical transportation, medical necessity for, determination of, 400–401. *See also* Air medical transportation, medical necessity for, determination of
Emergency Care for Children, review of, 291–292
Emergency department
ambulance communication to, time-motion study of, 204–208, 206t. *See also* Radio communications, ambulance-to-emergency department, time-motion study of
ambulance transport to, for patients with painful extremity injuries, time to analgesia for, 445–447, 446t. *See also* Extremity injuries, time to analgesia for
dyspnea assessment by, prehospital, and concordance of field assessment, 440–444, 442t, 443t. *See also* Dyspnea, prehospital management of, field and emergency department assessment in
emergent presentation to, by mental health emergencies in children and adolescents, 67
Emergency department trauma room, paramedic verbal reports to physicians in, analysis of, 247–251, 248t, 249f, 250f. *See also* Verbal reports, paramedic to physicians, in emergency department trauma room, analysis of
Emergency incident rehabilitation (EIR) operations, firefighters in, tympanic *vs.* oral temperature of, 363–367, 364f, 365f. *See also* Temperature, tympanic *vs.* oral measurement of
Emergency medical dispatch protocol, for abdominal pain, effectiveness of, 89–93, 91f, 92t. *See also* Abdominal pain, medical priority dispatch protocol for, effectiveness of
Emergency medical services (EMS)
in developing world, 392–396
access to, 393
discussion, 394–395
equipment for, 393
funding for, 393
overview of health care in, 392–393
prehospital infrastructure of, 393
recommendations for, 393–394
communications, 394
equipment, 394
funding, 393–394
interagency collaboration, 393–394
public access, 394
training, 394
staffing for, 393
dispatch instructions by, for bystander-initiated CPR, 28, 29
patients transported by, from events at a large indoor arena, 332–335, 333t. *See also* Patient(s), EMS-transported, from events at a large indoor arena
response time of, establishing goals for, considerations in, 397–399
discussion, 397–399
introduction to, 397
position statement, 397
role of, in mental health emergencies in children and adolescents, 67
in St. Vincent and the Grenadines, 477–481, 478f, 478t, 479t, 480f
study of
discussion, 480
methods, 477
results, 477–480, 478f, 478t, 479t, 480f
accident and emergency department, 479, 479t
ambulance services, 480, 480f
health care system, 478, 478t
Kingstown General Hospital, 478–479
transport of children, after motor vehicle crashes, safety restraint use and, 448–452, 450t. *See also* Children, safety restraint use by

Emergency medical services (EMS) dispatch centers, triage of callers to alternative resources by, safety of, 368–374, 369t-371t, 372f, 373t
study of
clinical decision rule to identify a low-risk subgroup, 371, 372f, 373t
data analyses, 370
demographics, 370–371, 371t
design, 369
discussion, 371–373
future studies, 373
limitations of, 373
methods, 369–370
outcome measures, 369, 369t, 370t
outcome variable, 371, 371t
population, 369
protocol, 369
results, 370–371
setting, 369
variables, 369–370
Emergency medical services (EMS) dispatch codes, low-acuity patients associated with, derivation of, 434–439, 436f, 437t, 438t
study of
data analysis, 435–436
data management, 435–436
design, 435
discussion, 436–437
future directions in, 437–438
limitations of, 437–438
low-acuity dispatch codes, 436
methods, 435–436
MPDS level "A" codes, 437
population, 435
protocol, 435
results, 436, 436f, 437t, 438t
setting, 435
Emergency Medical Services for Children (EMSC), 66
Emergency medical technician (EMT), nationally registered, certification training of, assessment of, 114–119, 116t–118t. *See also* LEADS project
Emergency physicians, after-hours on-call, impact on ambulance transports from county jail, 327–331, 328f, 329f
study of
discussion, 329–330
limitations of, 330
methods, 327–328
results, 328–329, 328f, 329f
Emergent Field Medicine, review of, 292–293
EMS. *See* Emergency medical services (EMS)
Endotracheal intubation, in a rural EMS state, procedure utilization and impact of skills maintenance guidelines on, 352–356, 354f, 355f, 355t, 356t
study of
analytical methods, 353
discussion, 354–355
future studies, 355–356
key outcome variables, 353
limitations of, 355–356
measurements, 353
methods, 352–353
population, 352–353
results, 353–354, 354f, 355f, 355t, 356t
setting, 352–353
Endotracheal tube introducer, paramedic use of, in difficult airway model, 244–246
study of
design, 244–245
discussion, 245–246
human subject review, 245
limitations of, 246
methods, 244–245
population, 245
results, 245
sample size, 245
Epinephrine, for asthma, 43–44
Ethiopia, EMS in, 392–396. *See also* Emergency medical services (EMS), in developing world
Etomidate, for prehospital rapid-sequence intubation, 380–383, 381f, 381t, 382f. *See also* Rapid-sequence intubation (RSI), prehospital, etomidate for
Extremity(ies), field amputation of, cardiac arrest and, successful patient outcome after, 149–153. *See also* Cardiac arrest, field extremity amputation and, successful patient outcome after
Extremity injuries, time to analgesia for, for patients transported to emergency department by ambulance, 445–447, 446t
study of
discussion, 446–447
limitations of, 447
methods, 445–446
results, 446, 446t
EZ ECGs, 2nd edition (video and booklet), review of, 158–159

Fall(s), by the elderly, in home
EMS screening of, 79–84, 80t-83t
study of
discussion, 81–83
future directions in, 84
limitations of, 84
methods, 80, 80t
results, 80–81, 80t-83t
Family violence. *See* Domestic violence
FAST. *See* Focused abdominal sonography for trauma (FAST)
Feeding tubes, in children, prehospital protocols for, 346–348, 347t
Femur fracture, traction splint immobilization of, in multisystem trauma patients, 241–243

study of
design, 242
discussion, 242–243
limitations of, 243
methods, 242
population, 242
results, 242
setting, 242
Fentanyl, for prehospital pain management, 485
Field amputation, cardiac arrest and, successful patient outcome after, 149–153. *See also* Cardiac arrest, field extremity amputation and, successful patient outcome after
Field assessment, of dyspnea, prehospital, and concordance of emergency department assessment, 440–444, 442t, 443t. *See also* Dyspnea, prehospital management of, field and emergency department assessment in
Field stabilization, *vs.* rapid transport, in prehospital traumatic cardiopulmonary arrest, literature review, 144–145
Fighting to Save Lives in Houston, 135
Fire stations, walk-in patients to, characteristics of, 136–140, 137f–139f, 138t. *See also* Walk-in patients, to fire station, characteristics of
Firefighters
first-responders, AED program of, attitudes, opinions, and concerns about, survey of, 120–124, 121f. *See also* Automated external defibrillator (AED) program, of first-responder firefighters,
tympanic *vs.* oral temperature of, in emergency incident rehabilitation operations, 363–367, 364f, 365f. *See also* Temperature, tympanic *vs.* oral measurement of
First-responders, AED training and application rates comparison for, 453–457, 454t. *See also* Automated external defibrillator (AED), training and application rates comparison, for first-responders
Focused abdominal sonography for trauma (FAST), prehospital, wireless and satellite transmission of, 375–379, 376f, 377t
study of
discussion, 378
methods, 376–377, 376f
results, 377–378, 377t
Foreign bodies, supraglottic, extraction devices for removal of, 316–321, 318f, 319f
study of
analytical methods, 317
design, 317
discussion, 318–320
experimental protocol, 317
investigation and animal use committee review, 317
key outcome variables, 317
measurements, 317
methods, 317
population, 317
results, 317–318, 318f, 319f
setting, 317
Fracture(s), femur, traction splint immobilization of, in multisystem trauma patients, 241–243. *See also* Femur fracture, traction splint immobilization of, in multisystem trauma patients
Furosemide
for acute pulmonary edema, 16
nitroglycerin and morphine with, for acute pulmonary edema, 16–17

Grenadines, EMS in, 477–481

Handbook of Urgent Care Medicine, 2nd Edition, review of, 405–406
Hazardous materials incidents, responses to, in mid-sized metropolitan area, 214–218, 215t–217t
study of
discussion, 217–218
limitations of, 218
methods, 214–215, 215t
results, 215–217, 215t–217t
Health care needs, children with, prehospital protocol development for, template for, 336–338. *See also* Children with special health care needs (CSHCN), prehospital protocol development for, template for
Health preparedness, threat of terrorism and, new developments in, 56–58
Helicopter(s), air medical, accidents by, in United States, 94–98, 94f, 95t-97t, 97f, 98f. *See also* Air medical helicopters, accidents by, in United States
Helium-oxygen mixture, for asthma, 45
High school students, willingness to perform CPR and automated external defibrillation, 219–224, 220t–223t. *See also* Cardiopulmonary resuscitation (CPR)
Hobble restraints, for violent patients, 50–51, 50f
Hospital admission rates, for moderate to severe asthma, prehospital intravenous methylprednisolone and, 423–426, 425t. *See also* Asthma, prehospital intravenous methylprednisolone for
Hypoglycemia, prehospital, safety of not transporting treated patients, 458–465, 461t, 462t
study of
data analysis, 460
design, 459
discussion, 461–464
ethics review, 460
limitations of, 464
methods, 459–460
population, 459

results, 460–461, 461t, 462t
setting, 459–460
Hypothermia, induced, considerations in, 411–412

Immobilization, traction splint, of femur fractures, in multisystem trauma patients, 241–243. *See also* Femur fracture, traction splint immobilization of, in multisystem trauma patients
Immunization(s), influenza, provided by EMS agencies, 74–78, 76f, 76t–78t. *See also* MEDICVAX project
Influenza immunizations, provided by EMS agencies, 74–78, 76f, 76t–78t. *See also* MEDICVAX project
Injury(ies), extremity, painful, time to analgesia for, for patients transported to emergency department by ambulance, 445–447, 446t. *See also* Extremity injuries, time to analgesia for
Inotropic agents, for acute pulmonary edema, 19
Interposed abdominal compression, 33–35, 34f
Intraosseous infusion, 280–285, 281f–284f
in adults, 283–284
alternative devices for, 282f–284f, 282–283
bone medullary canal in, anatomy and physiology of, 280–281, 281f
complications of, 283
contraindications to, 281
history of, 280
indications for, 281
insertion and infusion in, techniques of, 281–282, 281f
needles for, types of, 282f–284f, 282–283
prehospital application of, 284
Intubation
rapid-sequence, prehospital, 235–240, 236t–238t. *See also* Rapid-sequence intubation, prehospital
etomidate for, 380–383, 381f, 381t, 382f. *See also* Rapid-sequence intubation (RSI), prehospital, etomidate for
of simulated trauma patient, in two positions, comparison of times, 252–257, 253f–255f, 254t
discussion, 255
limitations of, 255–256
methods, 253–254, 253f
results, 254–255, 254f, 254t, 255f
tracheal, blind, by paramedics, through LMA-Unique, 470–473, 471f. *See also* Laryngeal mask airway (LMA)-Unique, blind tracheal intubation through, by paramedics

Jail, ambulance transports from, impact of after-hours on-call emergency physicians on, 327–331, 328f, 329f. *See also* Emergency physicians, after-hours on-call, impact on ambulance transports from county jail

Ketamine, for prehospital pain management, 485
Ketorolac, for prehospital pain management, 485
Kingstown General Hospital, EMS in, 478–479

Lacerations and Acute Wounds, an Evidence-Based Guide, review of, 490–491
Laryngeal mask airway (LMA), 470–473, 471f
Laryngeal mask airway (LMA)-Unique, blind tracheal intubation through, by paramedics, 470–473, 471f
study of
design, 471
discussion, 472
experimental protocol, 471–472
human subjects review, 471
limitations of, 472–473
methods, 471–472
population, 471
results, 472
setting, 471
LEADS project, 114–119, 116t–118t
compensation, benefits, and satisfaction, 357–362, 358t–361t
study of
analysis methods, 358
collective bargaining, 360–361
compensation, 360–361
demographics, 359
discussion, 361–362
health insurance, 359–360, 359t
methods, 358
nonrespondent study, 359
nonresponse study, 358
questionnaire development, 358
results, 358–361, 358t–361t
retirement, 360, 361t
sample, 358, 358t
satisfaction, 361, 361t
weighting, 358
study of
discussion, 118–119
methods, 115–116
results, 116–118
EMT-basic and EMT-paramedic respondents, characteristics of, 116
EMT-basics' assessment of education programs, 116–117, 116t-118t
EMT-paramedics' assessment of education programs, 117–118, 117t
EMT-paramedics *vs.* EMT-basics, 116t–118t, 118
Left ventricular afterload, reduction of, for acute pulmonary edema, 17
Left ventricular preload, reduction of, for acute pulmonary edema, 15–17
Leukotriene-modifying agents, for asthma, 45
LMA-Unique. *See* Laryngeal mask airway (LMA)-Unique

blind tracheal intubation through, by paramedics, 470–473, 471f. *See also* Laryngeal mask airway (LMA)-Unique, blind tracheal intubation through, by paramedics
Longitudinal Emergency Medical Technician Attributes Demographic Study Project (LEADS project), 114–119, 116t–118t. *See also* LEADS project
Long-term care facilities, residents with do not resuscitate orders in, resuscitation of, 303–306, 304f, 305t, 306t. *See also* Do not resuscitate (DNR) orders, resuscitation of residents with, in long-term care facilities
Low-acuity patients, EMS dispatch codes associated with, derivation of, 434–439, 436f, 437t, 438t. *See also* Emergency medical services (EMS) dispatch codes, low-acuity patients associated with, derivation of

Magnesium, for asthma, 44
Mayo One Emergency Helicopter: Critical Care in the Air, 153
Mechanical ventilation, for asthma, 44–45
Media reviews, 154–159, 291–294, 405–409, 489–491
Delmar's Heart and Lung Sounds CD-ROM for the EMS Provider, 405
Drug Reference for EMS Providers, 154–155
Emergency Care for Children, 291–292
Emergent Field Medicine, 292–293
EZ ECGs, 2nd edition (video and booklet), 158–159
Handbook of Urgent Care Medicine, 2nd Edition, 405–406
Lacerations and Acute Wounds, an Evidence-Based Guide, 490–491
911 Responding for Life—Case Studies in Emergency Care, 292
The Paramedic Review, 156
Paramedic TRIPP v 1.0: Teaching Resource for Instructors in Prehospital Pediatrics, 407–408
Pediatric Emergency Medicine: A Comprehensive Study Guide, Second Edition, 406–407
Pharmacology for Prehospital Emergency Care, 2nd edition, 157
The Practice of Clinical Echocardiography, Second Edition, 293–294
Preparing for Terrorism—Tools for Evaluating the Metropolitan Medical Response System Program, 408–409
Principles of Advanced Trauma Care, 157–158
Q & A Color Review: General Critical Care, 489–490
Special Operations Forces Medical Handbook, 155–156
Medical health emergencies, in children and adolescents, treatment of
by emergency departments, 68
by EMS, 67–68
Medical personnel, unsolicited, volunteering at disaster scenes, 147–148
Medical preparedness, threat of terrorism and, new developments in, 56–58
Medical priority dispatch protocol, for abdominal pain, effectiveness of, 89–93, 91f, 92t. *See also* Abdominal pain, medical priority dispatch protocol for, effectiveness of
Medical Priority Dispatch System (MPDS), in ambulance response, 385–386
Medical transportation, air and critical care, medical necessity for, determination of, 400–401. *See also* Air medical transportation; Critical care medical transplantation
MEDICVAX project, 74–78, 76f, 76t–78t
study of
discussion, 76–77
materials, 75
methods, 75
results, 75–76, 76f, 76t–78t
Men in Black, 108
Mental health emergencies, in children and adolescents, 60–65, 61t–63t
access to care in, 61
adolescent assault victims, 68
assessment of
by emergency departments, 68
by EMS, 67–68
availability of services in, 61
coordination and collaboration in, 65–66
evidence in, 60
integrated systems for, development of, 61–62, 62t, 63t
model systems of care in, 68
problem definition in, to facilitate data collection and research, 62–63
problem identification in, 61
scope of problem, 66–67
screening tools in, development of, 63–64
treatment of, 66–73
barriers to, 61, 68–70
accessibility of services, 70
emergency department setting, 69
epidemiological data lacking, 68–69
identification and documentation, 70
inadequate pediatric psychiatric beds, 70
lack of knowledge about course of disease and response to medication, 69
personnel training, 69–70
ruling out organic disease, 69
time barrier and reliance on consultants, 69
depression and suicide prevention in, 68
education in, 71
funding for, 71
health care system in, early access to, 67

injury prevention education in, 68
national statistics in, 71
policy makers in, 71
problem recognition in, 70
referrals, screening, and follow-up in, 68
research in, 71–72
screening and injury prevention in, 71
systems of care in, 71
violence and disaster exposure in, 61
Methylprednisolone, intravenous, prehospital, for moderate to severe asthma, hospital admission rates and, 423–426, 425t. *See also* Asthma, prehospital intravenous methylprednisolone for
Minimally invasive direct cardiac massage (MID-CM), 37–38
Morphine
for acute pulmonary edema, 16
nitroglycerin and furosemide with, for acute pulmonary edema, 16–17
for prehospital pain management, 484–485
Mortality, measurement of, long-term air medical services system performance using, 195–198, 197f, 198f
study of
discussion, 196–197
limitations of, 197–198
methods, 196
results, 196, 197f, 198f
Motion sickness, prehospital, incidence and treatment of, 474–476, 475f
study of
discussion, 475–476
methods, 474–475
results, 475, 475f
Motor vehicle crashes, EMS transport of children after, safety restraint use and, 448–452, 450t. *See also* Children, safety restraint use by, EMS transport after motor vehicle crashes and
MPDS. *See* Medical Priority Dispatch System (MPDS)

Nalbuphine, for prehospital pain management, 485
National EMS Agenda Writing Team, erratum, 433
National Association of EMS Physicians (NAEMSP), 2003 annual meeting abstracts, 160
Nationally registered emergency medical technician (NREMT), certification training of, assessment of, 114–119, 116t-118t. *See also* LEADS project
Neuroleptics, as chemical restraint, 52–53, 53t
New York State, wireless enhanced 911 service in, public safety answering point readiness for, 199–203, 201f
New York State,wireless enhanced 911 service in, public safety answering point readiness for. *See also* Wireless enhanced 911 service, in New York State, public safety answering point readiness for
New York State Emergency Call Locator Partnership Project, 199–203, 201f. *See also* Wireless enhanced 911 service, in New York State, public safety answering point readiness for
911 Responding for Life—Case Studies in Emergency Care, review of, 292
911 service, wireless enhanced, in New York State, public safety answering point readiness for, 199–203, 201f. *See also* Wireless enhanced 911 service, in New York State
Nitrates
for acute pulmonary edema, 15–16
high-dose, for acute pulmonary edema, 17
Nitroglycerin, furosemide and morphine with, for acute pulmonary edema, 16–17
Nitroprusside sodium, for acute pulmonary edema, 17
Nitrous oxide, for prehospital pain management, 485
Noninvasive positive pressure ventilation (NIPPV), for acute pulmonary edema, 18–19

Open-chest cardiac massage, minimally invasive, 37–38
Oral temperature, *vs.* tympanic temperature, of firefighters in emergency incident rehabilitation operations, 363–367, 364f, 365f. *See also* Temperature, tympanic *vs.* oral measurement of

Pacemaker(s), internal, in children, prehospital protocols for, 348–349
Pain
abdominal, medical priority dispatch protocol for, effectiveness of, 89–93, 91f, 92t. *See also* Abdominal pain, medical priority dispatch protocol for, effectiveness of
assessment of, prehospital, 482–483
tools for, 483, 484t
management of, prehospital, 482–488, 484t. *See also* Pain management, prehospital
Pain management, prehospital, 482–488, 484t
contraindications to, 483–484
documentation before and after, 485–486
indications for, 483–484
introduction to, 482
medical oversight in, 486
nonpharmacologic, 484
pain assessment, 482–483
tools for, 483, 484t
patient monitoring before and after, 485–486
pharmacologic, 484–485
position statement on, 482
quality improvement in, 486
transferring information to receiving medical facility, 486

Paramedic(s)
ambulance transport by, determination of medical necessity for, 466–469
study of
data analysis, 467
discussion, 468
future directions in, 468–469
limitations of, 468–469
methods, 466–467
population, 466–467
results, 467
setting, 466–467
study protocol, 467
blind tracheal intubation by, through LMA-Unique, 470–473, 471f. *See also* Laryngeal mask airway (LMA)-Unique, blind tracheal intubation through, by paramedics
endotracheal tube introducer use by, in difficult airway model, 244–246. *See also* Endotracheal tube introducer, paramedic use of, in difficult airway model
verbal reports to physicians, in emergency department trauma room, analysis of, 247–251, 248t, 249f, 250f. *See also* Verbal reports, paramedic to physicians, in emergency department trauma room, analysis of
Paramedic TRIPP v 1.0: Teaching Resource for Instructors in Prehospital Pediatrics, review of, 407–408
Paroxysmal supraventricular tachycardia, prehospital management of, 2–4, 2t, 3t
Partner abuse. *See* Domestic violence
Patient(s)
EMS-transported, from events at a large indoor arena, 332–335, 333t
study of
design, 332
discussion, 334
future studies, 334
human research review, 333
limitations of, 334
measurements, 333
methods, 332–333
population, 332
results, 333–334, 333t
setting, 332–333
statistics, 333
low-acuity, EMS dispatch codes associated with, derivation of, 434–439, 436f, 437t, 438t. *See also* Emergency medical services (EMS) dispatch codes, low-acuity patients associated with, derivation of
violent. *See* Violent patient
walk-in, to fire station, characteristics of, 136–140, 137f–139f, 138t. *See also* Walk-in patients, to fire station, characteristics of
Pediatric Emergency Medicine: A Comprehensive Study Guide, Second Edition, review of, 406–407
Pediatric mental health emergencies, 60–65, 61t–63t. *See also* Mental health emergencies, in children and adolescents
Pharmacology for Prehospital Emergency Care, 2nd edition, review of, 157
Physician(s)
emergency, after-hours on-call, impact on ambulance transports from county jail, 327–331, 328f, 329f. *See also* Emergency physicians, after-hours on-call, impact on ambulance transports from county jail
at mass gatherings, ambulance transport reduction and, 322–326, 324t, 325f, 325t
study of
data analysis, 324
design, 323
discussion, 325–326
future studies, 326
limitations of, 326
methods, 323–324
population, 323–324
protocol, 324
results, 324–325, 324t, 325f, 325t
setting, 323–324
paramedic verbal reports to, in emergency department trauma room, analysis of, 247–251, 248t, 249f, 250f. *See also* Verbal reports, paramedic to physicians, in emergency department trauma room, analysis of
Pneumatic anti-shock garment (PASG), inflation of, regional blood flow after, 225–228, 226f
study of
discussion, 226
limitations of, 226
methods, 225–226
results, 226, 226f
Pneumococcal disease
epidemiology of, 125–126
vaccine for, 125–135, 126t-129t, 133t
Pneumococcal vaccination, 125–135, 126t–129t, 133t
availability of, 126–127, 126t, 127t
barriers to, 131
cost–benefit analysis of, 129–130
delivery of, 130
duration of protection, 128–129
efficacy of, 127–128, 129t
EMS-based program for, implementation of, 131–132, 133t
recommendations for usage, 127, 128t
revaccination in, 128–129
side effects of, 129
Position papers
on air medical dispatch, 265
on automated external defibrillators in children, 258; erratum/technical update, 495

on medical necessity for air medical transport, 400
on pain management, 482
on response time goals, 397
on termination of resuscitation in cardiopulmonary arrest, 141
on unsolicited medical personnel volunteering at disaster scenes, 147
Prehospital Care Research Forum, 2003 abstracts, 492
Preload, left ventricular, reduction of, for acute pulmonary edema, 15–17
Preparing for Terrorism—Tools for Evaluating the Metropolitan Medical Response System Program, review of, 408–409
Principles of Advanced Trauma Care, review of, 157–158
Psychiatric emergency department (PSED), in mental health emergencies in children and adolescents, 68
Pulmonary edema, acute severe, presumed, continuous positive airway pressure for, prehospital use of, 209–213, 210t, 211t. *See also* Continuous positive airway pressure (CPAP), prehospital use of
Pulseless electrical activity (PEA), 286–290, 287f, 288f
case report, 286–287, 287f, 288f

Q & A Color Review: General Critical Care, review of, 489–490

Radio communications, ambulance-to-emergency department, time-motion study of, 204–208, 206t
discussion, 206–207
methods, 204–205
analytical methods, 205
experimental protocol and measurements, 205
human subject use committee review, 205
setting, 204–205
study design, 204
radio patches, 205–206, 206t
results, 205–206, 206t
Rapid transport, *vs.* field stabilization, in prehospital traumatic cardiopulmonary arrest, literature review, 144–145
Rapid-sequence intubation, prehospital, 235–240, 236t–238t
study of
discussion, 238–239, 238t
limitations of, 239
methods, 235–237, 236t-238t
results, 238
Rapid-sequence intubation (RSI), prehospital, etomidate for, 380–383, 381f, 381t, 382f
study of
discussion, 381–382
methods, 380–381
results, 381, 381f, 381t, 382f
Rescue after an Automobile Collision, 457
Rescue breathing, early, in cardiopulmonary resuscitation, 26–27
Restraint(s)
chemical, for violent patients, 52–53, 52t, 54–55
Hobble, for violent patients, 50–51, 50f
physical, for violent patients, 50–51, 50f, 54
safety, pediatric use of, EMS transport after motor vehicle crashes and, 448–452, 450t. *See also* Children, safety restraint use by, EMS transport after motor vehicle crashes and
for violent patients, indications for, 50
Resuscitation
duration of, in prehospital traumatic cardiopulmonary arrest, literature review, 143
epidemiology of, in Singapore, 427–433, 429f, 429t, 430f. *See also* Cardiac arrest and resuscitation epidemiology (CARE) project, in Singapore
withholding or termination of, in prehospital traumatic cardiopulmonary arrest, guidelines for, 141–146, 144t. *See also* Cardiopulmonary arrest, prehospital traumatic

Safar, Peter, memorial, 439
Safety restraints, pediatric use of, EMS transport after motor vehicle crashes and, 448–452, 450t. *See also* Children, safety restraint use by, EMS transport after motor vehicle crashes and
Scene control, 402–404
case report, 402–403
discussion, 403–404
Seat belts, pediatric use of, EMS transport after motor vehicle crashes and, 448–452, 450t. *See also* Children, safety restraint use by, EMS transport after motor vehicle crashes and
Shunt(s), cerebrospinal fluid, in children, prehospital protocols for, 345–346
Singapore, cardiac arrest and resuscitation epidemiology in, 427–433, 429f, 429t, 430f. *See also* Cardiac arrest and resuscitation epidemiology (CARE) project, in Singapore
Sonography, abdominal, for trauma, prehospital, wireless and satellite transmission of, 375–379, 376f, 377t
Special Operations Forces Medical Handbook, review of, 155–156
Splint(s), traction, immobilization with, for femur fractures, in multisystem trauma patients, 241–243. *See also* Femur fracture, traction splint immobilization of, in multisystem trauma patients
St. Joseph's Hospital Health Center, in ambulance diversion reduction study, 102–103

St. Vincent, EMS in, 477–481, 478f, 478t, 479t, 480f. *See also* Emergency medical services (EMS), in St. Vincent and the Grenadines
Steroid(s), for asthma, 44
Stress Test, 124
Stroke, advanced cardiac life support objectives of, teaching to prehospital providers, 229–234. *See also* Advanced cardiac life support (ACLS), stroke objectives of, teaching to prehospital providers
Stroke assessment test, 232–234
Suicide, prevention of, in children and adolescents, 68
Supraglottic foreign bodies, extraction devices for removal of, 316–321, 318f, 319f. *See also* Foreign bodies, supraglottic, extraction devices for removal of

Tachyarrhythmia(s), acute, prehospital management of, 2–12, 2t, 3t, 10t. *See also specific arrhythmia, e.g.,* Paroxysmal supraventricular tachycardia
  atrial fibrillation, 4–5
  diagnosis of, 6–7
  initial approach to, 6
  irregularly irregular narrow-complex tachycardia, 8–9, 10t
  paroxysmal supraventricular tachycardia, 2–4, 2t, 3t
  regular narrow-complex tachycardia, 8, 10t
  rhythm definitions in, 7
  treatment of, 7–11
  ventricular tachycardia, 5–6
  wide-complex tachycardia, 9–11, 10t
Tachycardia
  irregularly irregular narrow-complex, prehospital treatment of, 8–9, 10t
  regular narrow-complex, prehospital treatment of, 8, 10t
  wide-complex, prehospital treatment of, 9–11, 10t
Temperature, tympanic *vs.* oral measurement of, of firefighters in emergency incident rehabilitation operations, 363–367, 364f, 365f
  study of
    discussion, 364–366
    limitations of, 366
    materials, 363–364
    methods, 363–364
    results, 364, 364f, 365f
Terrorism, threat of, health and medical preparedness related to, new developments in, 56–58
The Grenadines, EMS in, 477–481, 478f, 478t, 479t, 480f. *See also* Emergency medical services (EMS), in St. Vincent and the Grenadines
The Paramedic Review, review of, 156
The Practice of Clinical Echocardiography, Second Edition, review of, 293–294
The Report of the Surgeon General's Conference on Children's Mental Health, 66
Thoracotomy, by emergency department, in prehospital traumatic cardiopulmonary arrest, literature review, 143–144, 144t
Tracheal intubation, blind, by paramedics, through LMA-Unique, 470–473, 471f. *See also* Laryngeal mask airway (LMA)-Unique, blind tracheal intubation through, by paramedics
Tracheostomy, in children, prehospital protocols for, 339–341
Traction splints, immobilization with, for femur fractures, in multisystem trauma patients, 241–243. *See also* Femur fracture, traction splint immobilization of, in multisystem trauma patients
Training Scenario of a School Shooting, 491
Transport
  air medical, in prehospital traumatic cardiopulmonary arrest, literature review, 145
  rapid, *vs.* field stabilization, in prehospital traumatic cardiopulmonary arrest, literature review, 144–145
Trauma, focused abdominal sonography for, prehospital, wireless and satellite transmission of, 375–379, 376f, 377t. *See also* Focused abdominal sonography for trauma (FAST), prehospital
Trauma, 367
Trauma patients
  multisystem, femur fractures in, traction splint immobilization of, 241–243. *See also* Femur fracture, traction splint immobilization of, in multisystem trauma patients
  simulated, intubation of, in two positions, comparison of times, 252–257, 253f–255f, 254t. *See also* Intubation, of simulated trauma patient, in two positions, comparison of times
Trench Rescue in Virginia Beach, 148
Triage
  of callers to EMS dispatch centers to alternative resources, safety of, 368–374, 369t–371t, 372f, 373t. *See also* Emergency medical services (EMS) dispatch centers, triage of callers to alternative resources by, safety of
  prehospital on-site, 85–88, 86t–88t
    study of
    discussion, 87–88, 88t
    future questions in, 88
    limitations of, 88
    methods, 85–86
      criterion standard for need for emergency care, 86
      entry criteria, 86
      rating of need for care by paramedics, 86
      setting, 85–86
      statistical analysis, 86
    results, 86–87, 86t, 87t
Turtle Creek IV proceedings, 1–59

Tympanic temperature, *vs.* oral temperature, of firefighters in emergency incident rehabilitation operations, 363–367, 364f, 365f. *See also* Temperature, tympanic *vs.* oral measurement of

University Hospital of the State University of New York Upstate Medical University, in ambulance diversion reduction study, 103

Vaccine(s), pneumococcal, 125–135, 126t–129t, 133t. *See also* Pneumococcal vaccination
Vagus nerve stimulator, in children, prehospital protocols for, 349–350
Ventilation, mechanical, for asthma, 44–45
Ventilator(s), in children, prehospital protocols for, 341–343, 343t
Ventilatory support, for acute pulmonary edema, 18–19
Ventricular fibrillation, out-of-hospital, pre-defibrillation cardiopulmonary resuscitation for, considerations in, 410–413
Ventricular tachycardia, prehospital management of, 5–6
Verbal reports, paramedic to physicians, in emergency department trauma room, analysis of, 247–251, 248t, 249f, 250f
  discussion, 250–251
  limitations of, 251
  methods, 247–249, 248t
  results, 249–250, 249f, 250f
Violence
  against EMS providers, 48–50
  exposure to, in children and adolescents, 61
Violent patient
  management of, 48–55, 49t, 50f, 52t, 53t
    protocol for, 54
    restraints for
      chemical, 52–53, 52t, 54–55
      indications for, 50
      physical, 50–51, 50f, 54
    self-protection in, 54
  prevention of, 54
Volunteer(s), unsolicited medical personnel, at disaster scenes, 147–148

Waiting for the Doctor's Report, 321
Walk-in patients, to fire station, characteristics of, 136–140, 137f–139f, 138t
  study of
    data analysis, 137
    design, 136
    discussion, 138–140
    future questions in, 140
    limitations of, 140
    methods, 136–137
    population, 137
    protocol, 137
    results, 137–138, 138t, 137f–139f
    setting, 137
Wireless enhanced 911 service, in New York State, public safety answering point readiness for, 199–203, 201f
  study of
    discussion, 201–202
    hardware and software capabilities, 200–201, 201f
    limitations of, 202
    methods, 200
    phase I and phase II capabilities, 200, 201f
    results, 200–201
    total estimated costs, 201
    wireless carriers negotiations, 200

AUTHORS

Abbott CA, 191
Abbuhl FB, 445
Ackroyd-Stolarz S, 172, 458
Adams AL, 368
Adirim TA, 188, 189, 336
Aghababian R, 2
Alaspää A, 209
Alexander JL, 189
Alexiadis P, 458
Algren A, 168
Allen M, 183
Alonso-Serra HM, 482
Anantharaman V, 427
Andrus P, 178
Appenzeller GN, 494
Arden J, 494
Asaeda G, 147
Auble TE, 74
Aufderheide TP, 165

Bachman M, 219
Baez AA, 185
Bailey BW, 199
Bailey D, 161
Bailey ED, 397
Bailey LC, 164
Bailey PP, 166
Baker CC, 247
Baker E, 169
Balash M, 79
Bangs C, 109
Barabasz A, 292
Barnes DR, 470
Barton B, 493, 494
Barton ED, 166, 167, 168
Bates G, 214
Bauch TD, 165
Baumann GW, 322
Baumann MR, 352
Bayleygne TM, 392
Beck PW, 180
Becker LJ, 303
Benin-Goren O, 392
Benson JL, 149
Bevilacqua JJ, 363
Bey T, 214
Biddinger P, 193
Billittier AJ, IV, 120, 183, 453
Bishop P, 171, 434
Bitner L, 181
Blackwell T, 13, 165, 177
Bledsoe BE, 94, 272
Bock BF, 85
Bogucki S, 175, 177, 178, 271
Boros MJ, 477
Bove J, 189
Boyd SYN, 165, 174, 375
Boyle K, 492
Bradeen H, 136
Bradshaw JR, 352
Braithwaite SA, 157
Brewer KL, 312
Brice JH, 48, 247
Brinsfield K, 180, 299

Brotea C, 160
Brown JJ, 176
Brown L, 172
Brown LH, 164, 165, 199, 433, 470
Brown WE, Jr, 114, 357
Bryant MM, 182, 185
Bukowski K, 170
Bulgrin JR, 165, 174, 375
Bultman L, 414
Buono C, 172
Burgess RJ, 186, 190
Burney RE, 195
Burton JH, 189, 316, 352
Byers D, 170

Cady CE, 167
Cain E, 170, 172, 458
Calderon RCP, 493, 494
Callaway CW, 160, 410
Cardoso LF, 162
Carter WP, 316
Casper K, 299
Caviness AC, 448
Chamberlain J, 188
Chan SB, 332
Chan TC, 190, 327, 380, 417
Chan YH, 427
Cheng D, 192
Cherson A, 147
Chong R, 79
Chopra P, 193
Christopher FL, 165
Christopher NC, 188
Clair J, 147
Cole JS, 173
Compton S, 85
Cone DC, 161, 163, 178, 179, 204, 402
Conterato M, 149
Cordi HP, 405
Costello M, 188
Cox C, 161
Craven RA, 165
Criss EA, 214
Crocco TJ, 229
Cummings BA, 178
Cummings G, 178
Curry M, 158
Czapranski T, 434

Daniels F, III, 171
D'Aprix T, 244
Davis DP, 162, 163, 380
Davis EA, 171, 176, 434
Davis MA, 392
Davis N, 157
Dawson DE, 114, 357
De Lorenzo RA, 191
Dean JM, 161
Deedo R, 184
DeGuzman MA, 448
Deitch S, 380
Delbridge TR, 42, 173
Delgado J, 141
Delphia B, 156
Dewbre H, 174
Dickinson ET, 363
DiSabatino A, 181
Dolcimascolo G, 124, 257, 321, 367
Domeier RM, 42, 141, 175, 258
Doney M, 162
Dorey J, 493
Doyle-Bedwell G, 170
Dreyer J, 492
Dula D, 173
Dunford JV, 13, 162, 163, 327, 419
Dunne RB, 85

Edwards DP, 179
Eisenberg MS, 303
Ellison SR, 466
Epstein I, 170
Ernst AA, 79
Evans C, 192

Faith C, 189
Fales WD, 179, 182, 185, 408
Farrell RN, 182, 185
Fisher J, 192
Floor AE, 316
Fore CA, 173
Fortlage D, 163
Fosnocht DE, 166
Frascone RJ, 174, 235
Fratus M, 493, 494
Frederick C, 188
Fredericksen SM, 175
French D, 184
French RNE, 171
Fullerton-Gleason L, 136

Garza AG, 168
Gerhardt RT, 165, 174, 375
Gerson LW, 170
Ghilarducci D, 179
Gil M, 493
Glushak C, 169
Goldblatt S, 193
Goodman P, 312
Gradisek N, 177
Gradisek R, 177
Grall K, 187
Grange JT, 322
Gratton MC, 168, 466
Greene ER, 225
Greene L, 165
Griswell JK, 13
Groh WJ, 183, 453
Guerrant ES, 183
Guimond G, 182
Guttenberg M, 147, 189

Hainsworth DM, 184
Hall LD, 99
Halperin HR, 162
Halpern P, 392
Hanfling D, 193
Hanrahan JP, 440
Harvey A, 172
Harvey RL, 108
Harwell TS, 114
Hasan N, 165, 177
Hauda WE, II, 406
Hauler J, 180
Hauswald M, 225, 295
Held T, 235
Henderson R, 172
Higgins GL, III, 316
Hikida R, 180
Hill JD, 363
Hinchey PR, 120
Hirsh E, 141
Hitchner TA, 166
Ho JD, 149, 414
Holbrook T, 163
Holquin J, 170
Hopkins J, 181
Hopson LR, 141
Horak B, 190
Hostler DP, 125, 160, 180, 182, 252, 286
Howell J, 193
Hoyle JD, Jr, 60, 66
Hoyt DB, 162, 163
Hubble MW, 219
Hughes M, 182
Huie D, 219
Huie J, 109
Hunt J, 466
Hunt RC, 31, 99
Hutchinson JL, 160
Hutton K, 167, 168

Iturregui J, 182

Jackson WP, 167
Jaslow D, 179
Jauch EC, 229
Jensen J, 174
Johnson E, 171
Jones FN, 180
Jones JL, 448
Jones S, 167, 168
Jorgenson D, 307
Jui J, 188

Kaiser G, 180
Kallio T, 209
Kane KE, 163
Kantor M, 179
Katz AJ, 154
Kaye K, 174, 235
Kennedy JD, 89
Key CB, 42
King P, 493, 494
Kinkler S, Jr, 165
Knapp B, 423
Knox R, 176
Koenig G, Jr, 192
Kohlbrenner JC, 99
Kostos S, 182
Kothari RU, 229
Kovar J, 192
Krohmer J, 48, 141
Krumperman K, 164
Kudenchuk PJ, 2
Kuder M, 171
Kugler DS, 490
Kuisma M, 209
Kupas DF, 162, 167, 418

Lagoe RJ, 99
Lam K, 178
Larmon B, 492
LaRocco BG, 280
Larson R, 193
Lau ST, 427
Lebrun JE, 352
Lemkin D, 169
Lerner EB, 120, 183, 434, 453
Levine J, 193
Levine M, 440
Levine R, 357
Lewell M, 492
Lewis T, 177
Lillibridge S, 56
Lim SH, 427

Lin L, 164, 175
Lindquist M, 414
Little K, 192
Liu T, 229
Logue ES, 160
Loh A, 171
Lopez MD, 407
Lovett T, 181, 182
Lowell MJ, 195
Lubin JS, 173, 176
Lund A, 178
Lutz C, 155
Lyster T, 307

Ma OJ, 466
Mace SE, 186
MacMillan DS, 204, 402
Mahoney BD, 149
Maio RF, 195
Mann NC, 161
Maoz T, 352
March JA, 108
Marcheta M, 169
Margolis A, 177
Markenson DS, 258
Marshall LK, 163
Marshall LW, 189
Martin N, 219
Mason B, 185
Matthews K, 166
Mazurik L, 190
Mazza C, 185
Mbazuigwe SN, 186
McEachin C, 170, 187
McHenry SD, 433
McIntosh C, 180
McKeon M, 182, 185
McMahon J, 74
McSwain NE, 141
Mears G, 31, 161
Mechem CC, 363
Medwick T, 164
Megargel RE, 161, 164, 166, 175, 181, 184
Mehta S, 193
Meissner L, 493, 494
Mencl F, 169, 170, 181, 182, 192
Menegazzi JJ, 160, 410
Miller AA, 183
Miller G, 244
Miller JB, 494
Millin MG, 182
Milliron M, 192
Milspaw J, 125
Miner JR, 149
Mitchell P, 193
Moore L, 190
Moreno R, 229
Morgan C, 307
Morgan JA, 494
Moscati R, 244
Mosesso VN, Jr, 13, 74, 165, 419
Moyer P, 193
Muhr M, 368
Munro G, 190
Murphy G, 299
Murray D, 458
Murray T, 170
Myers B, 184

Nadle PA, 99
Neely KW, 368
Nelson K, 195
Neuman T, 417
Newgard CD, 368
Newman MM, 183, 453
Nicholas DH, 173
Noble VE, 392
Norton R, 109, 368

O'Brien DJ, 183
Ochs M, 162, 163
O'Connor RE, 31, 89, 161, 164, 166, 175, 181, 184
Odle T, 183
O'Donnell M, 493
Okeke CC, 164
Olds BS, 183
Omowale M, 164, 175
Ong MEH, 79, 427
Ornato JP, 1, 31
Overton J, 24, 179
Owens M, 303

Packer R, 74
Padgett D, 493
Pagane JR, 296
Panylyk A, 184, 186
Paris PM, 74, 125, 162, 167, 180, 252
Park K, 163
Parks P, 178
Parrish KL, 182
Patel P, 170
Pavelko J, 170
Payton T, 173
Penner J, 31
Penner MS, 204
Pepe PE, 24
Peredy TR, 189
Perina DG, 176
Peter D, 170
Pettengill P, 293
Phelan MP, 244
Pickett KE, 169
Pinchalk M, 252
Pineda G, 419
Pio BJ, 229
Pirrallo RG, 48, 167
Platt TE, 182
Plorde M, 295
Powell KR, 188
Pozner CN, 392, 440
Pranger LA, 175, 271
Price R, 219
Provo TA, 174

Quinn JE, 332

Racht E, 48
Racine AN, 229
Racquel RCP, 494
Rahman E, 181
Ralls G, 166
Ramires JAF, 162
Ramundo M, 188
Rao R, 493
Ray A, 192
Rea TD, 295, 303
Reed DB, 445, 470
Reese CL, 181
Richmond N, 147
Rittenberger JC, 180
Rivera-Rivera EJ, 2
Roberts D, 89
Robison R, 167, 168
Rodriguez S, 492
Roe J, 188
Roe LL, 169
Roizen M, 99
Rosen P, 163
Rosen WT, 169
Rosenberg PH, 209
Rosner MS, 405
Roth RN, 252, 286
Rothrock SG, 166, 296
Rubal BJ, 165, 174, 375

Sadosty A, 185
Safi C, 193
Santo L, 189
Sapien R, 136
Savett S, 192
Sayre MR, 24, 165, 433
Schatteman J, 380
Schlaff MJ, 489
Schmidt TA, 165, 368
Schnyder M, 161, 166, 184
Schreck DM, 160, 169
Schwartz B, 172, 185, 186, 190
Scott JM, 199
Scott LA, 247
Seguin D, 187
Seldrup J, 427
Sequin D, 187
Shah MN, 169, 171, 434, 453
Shangold G, 173
Shapiro N, 440
Shen P, 247
Sherman LD, 160
Shook JE, 448
Shreve K, 188
Sikka NK, 193
Silbergleit R, 195
Silvestri S, 166, 296
Singh T, 187, 188, 189, 336
Singleton A, 312
Sites FD, 363
Skarbek-Borowski GW, 176
Slattery D, 172
Sloane C, 190
Slovis CM, 2
Smith AM, 190
Smith E, 189
Smith S, 327
Snyder M, 195
Soliz T, 474
Sookram S, 186
Sosnowski T, 186
Spackman AB, 161
Spaite DW, 214
Sparrow W, 327
Stoto M, 190
Stout T, 179
Strode CA, 165, 174, 375
Suner S, 176
Swabb C, 172
Swanson ER, 166, 167, 168
Sweeney TA, 89, 166, 397
Swor RA, 1, 24, 170, 175, 187
Syrett JI, 176

Teitelman S, 160
Thomas SH, 193, 265
Thomson DP, 265
Thundiyil J, 166
Timerman S, 162
Torstenson C, 414
Tran CD, 164

Travers A, 165, 178, 184, 186
Trespalacios FM, 176

Ufberg J, 179

Vaezazizi R, 322
Valenzuela T, 214
Van Curan K, 167, 168
Van Gelder CM, 175, 271
van Stralen D, 493, 494
Vilke GM, 171, 172, 190, 327, 380, 417
Vrahas M, 241

Wadas RJ, 173
Walter FG, 214
Wang HE, 160, 162, 167, 280
Warden CR, 109, 188, 291
Ware C, 179
Wayne MA, 2
Webb B, 184
Wedel SK, 241
Weichenthal L, 474
Weicke R, 291
Weigand JV, 181, 182
Weinstein C, 299
Weinstein G, 470
Weisfeldt ML, 165
Weismann WP, 175, 271
Weiss SJ, 79
Welch RD, 85
Wesley AK, 292, 482
Wexelberg K, 492
White LJ, 60, 66, 177, 433
Wigginton J, 31
Willoughby PJ, 169
Wilson AG, 170
Winsor G, 193
Wittwer L, 368
Wood C, 423
Wood SP, 241
Woollard M, 384
Wright JL, 187, 188, 189, 336
Wurster FW, 363
Wydro GC, 418

Yealy DM, 162, 167
Yeargin K, 303

Zachariah BS, 48, 174
Zalenski RJ, 85
Zecher D, 179
Zervas C, 171